IDS combination center (Central Bureau)

Cumulative combin.:

As an objective for 2006: in routine 1 month after delivery (ign/jpl weekly sol.)

+ITRF2005 reprocessing (all sol.)
Weekly combin.:

accuracy estimate of the combined solution

weighting
new solutions (analysis campaign TBD)

Tz noise: 1/rev empirical coeff.
> 3D sat. thermal model
orbit comparisons (same software different strategy, analysis campaign TBD)
Scale:

COG/COM offset ajustement sat by sat + space colocations (analysis campaign TBD)

• Cumulative combin.:

As an objective for 2006: in routine 1 month after delivery (ign/jpl weekly sol.)

+ITRF2005 reprocessing (all sol.)

<u>Weekly combin.</u>:

accuracy estimate of the combined solution

weighting
new solutions (analysis campaign TBD)

Tz noise: 1/rev empirical coeff.
> 3D sat. thermal model
orbit comparisons (same software different strategy, analysis campaign TBD)
Scale:

COG/COM offset ajustement sat by sat + space colocations (analysis campaign TBD)

Future campaigns

Standards
Macromodels (recom. 2.0)

IPY

DORIS

- > self operation of the beacon
- > routine data control at Toulouse, France
- > 2 or 3 polar satellites for high resolution
- > 1 beacon spare

Proposition for a DORIS experiment at International Polar Year?

> Greenland (retreat of coastal glaciers)

Conclusions